


FLOW DISTRIBUTORS




			D31 D310	D31G D40 D47	D75 D90	D90	D200
Speed	[rpm]	cont.	300	1600	700	700	500
		max.	500	2400	1200	1200	1000
Pressure	[bar]	cont.	250	250	250	250	250
		max.	500	500	500	500	500
Flow	[l/min]	cont.	200	200	500	600	1000
		max.	400	400	1000	1200	2000

Upon request, special distributors with integration valve are available. For further information, please contact our technical department.

D31

Distributor with 3/4" BSP ports


IAM H1 – IAM H2 –
IAM H3 – IAM H4



D31G

Distributor with 3/4" BSP ports High speed


IAM H1 – IAM H2 – IAM H3 –
IAM H4



D310

Distributor with 1" BSP ports


IAM H1 – IAM H2 – IAM H3 –
IAM H4



D40

Distributor with 1" BSP ports


IAM H1 – IAM H2 – IAM H3 –
IAM H4 – IAM H45



D47

Distributor with SAE 1" 3000 psi flanges


IAM H1 – IAM H2 – IAM H3 –
IAM H4 – IAM H45



D75

Distributor with SAE 1 1/2" 3000 psi flanges


IAM H45 - IAM H5 – IAM H6 –
IAM H7



D90

Distributor with SAE 1 1/2" 6000 psi flanges


IAM H5 – IAM H55 – IAM H6 –
IAM H7







D200

Distributor with SAE 1 1/2" 6000 psi flanges




IAM H8











TACHOMETERS





K	Tacho drive plug code K	
TA	Tacho drive code TA	
TB	Tacho drive code TB	
EST	Tacho drive code EST	


SPLINE BILLETS

SB1	IAM 80 - 100 - 150 - 175 - 195 H1 A0 IAM 80 - 100 - 150 - 175 - 195 H1 A1	
SB2	IAM 200 - 250 - 300 H1 A0 IAM 200 - 250 - 300 - 350 H2 A0 IAM 190/C H2 A0	
SB3	IAM 400 - 500 - 600 H2 A0 IAM 400 - 450 - 500 - 600 - 650 - 700 H3 A0	

SB4 IAM H3 800 A0 IAM 800/N H3 A0 IAM 700 – 800 – 900 – 1000 – 1100 – 1200 – 1250 - 1400 H4 A0	
SB5 IAM 450/C H3 A1 IAM 700 – 800 – 900 – 1000 – 1100 – 1200 – 1250 - 1400 H4 A1	
SB6 IAM 1100 – 1400 – 1600 – 1800 H45 A0 IAM 1100/C – 1400/C H45 A0 IAM 1000 – 1200 – 1400 – 1500 – 1600 – 1800 – 2000 – 2200 H5 A0 IAM 1200/C – 1400/C – 1500/C H5 A0	
SB7 IAM 1100 – 1400 – 1600 – 1800 H45 A1 IAM 1000 – 1200 – 1400 – 1500 – 1600 – 1800 – 2000 – 2200 H5 A1 IAM 1000/B60 – 1400/B80 – 1600/ B100 H5 A1	

SB8	IAM 1600/C – 1800/C – 2000/C – 2200/C H5 A0	
SB9	IAM 2500/C – 2800/C – 3000/C H55 A0 IAM 2200 – 2500 – 2800 – 3000 – 3200 – 3500 H6 A0 IAM 2200/C – 2500/C – 2800/C – 3000/C – 3200/C – 3500/C H6 A0 IAM 2200/B125 – 2500/B150 – 3000/B200 H6 A0	
SB10	IAM 2200 – 2500 – 2800 H55 A1 IAM 2200 – 2500 – 2800 – 3000 – 3200 – 3500 H6 A1 IAM 2200/C – 2500/C – 2800/C – 3000/C – 3200/C – 3500/C H6 A1 IAM 2200/B125 – 2500/B150 – 3000/B200 H6 A1 IAM 3900 – 4300 – 4600 – 5000 – 5400 H7 A1 IAM 6000 – 6500 – 6800 – 7600 – 8000 H8 A1	
SB11	IAM 3900/C – 4300/C – 4600/C – 5000/C – 5400/C H7 A1	

SB12	IAM 6000/C – 6500/C – 6800/C – 7600/C – 8000/C H8 A1	
SB14	IAM 100/BH – 150/BH – 175/BH – 195/BH – 250/BH H1 IAM 100/GM1 – 150/GM1 – 175/ GM1 – 195/GM1 – 250/GM1 H1	
SB15	IAM 300/C H2 A0	
SB16	IAM 700/C – 800/C H4 A0	

SB17	IAM /GM5 H5 A0 IAM /S H5 A0	
------	--------------------------------	--